

**AD
Milan Blagojević
Smederevo**



Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2000 i ISO 14001:2004 .

Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group.

Basic assortment of our products are wood-cookers and stoves/electric range cookers in accordance with international quality standards. Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.

Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2000 and ISO 14001:2004.

ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

MBS 3

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 740x720x570

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 200x300x400

SNAGA (kW)
POWER (kW) 7

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 60 / 60

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 64

ODVOD DIMA
FUME OUTLET DESNI / LEVI
RIGHT / LEFT

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 150x110

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

MBS 7

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 740x820x645

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 200x430x460

SNAGA (kW)
POWER (kW) 8,5

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 85 / 86

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 74

ODVOD DIMA
FUME OUTLET DESNI / LEVI
RIGHT / LEFT

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 150x110

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

MBS 9

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 740x945x645

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 200x490x460

SNAGA (kW)
POWER (kW) 9

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 60 / 60

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 84

ODVOD DIMA
FUME OUTLET DESNI / LEVI
RIGHT / LEFT

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 150x110

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

857

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm)

850x815x645

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm)

200x430x450

SNAGA (kW)
POWER (kW)

7

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%)

60 / 60

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg)

93

ODVOD DIMA
FUME OUTLET

DESNI / LEVI
RIGHT / LEFT

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm)

Ø 120


DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm)

150x110

GORIVO
FUEL

DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

ROYAL 720

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 850x720x600

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 270x350x470

SNAGA (kW)
POWER (kW) 8

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 73 / 71

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 116


ODVOD DIMA DESNI / LEVI / ZADNJI / CENTRALNI
FUME OUTLET RIGHT / LEFT / BACK / UP

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 170x175

GORIVO DRVO I UGALJ
FUEL WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

ROYAL 900

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 850x900x600

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 270x500x470

SNAGA (kW)
POWER (kW) 9

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 60 / 62

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 133


ODVOD DIMA DESNI / LEVI / ZADNJI / CENTRALNI
FUME OUTLET RIGHT / LEFT / BACK / UP

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 170x175

GORIVO DRVO I UGALJ
FUEL WOOD AND COAL (brown coal)

BOJE
COLORS



ŠTEDNJACI
NA ČVRSTO GORIVO
SOLID FUEL COOKERS

MAGNUM

DIMENZIJE ŠTEDNJAKA (mm)
COOKER DIMENSIONS (mm) 850x950x600

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 270x350x470

SNAGA (kW)
POWER (kW) 12

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 89 / 86

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 168 / 202*

ODVOD DIMA ZADNJI / CENTRALNI
FUME OUTLET BACK / UP

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120 / Ø 130

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 225x270

GORIVO DRVO I UGALJ
FUEL WOOD AND COAL (brown coal)

BOJE
COLORS



* sa kamenim stranama / with stone sides



PEČI
NA ČVRSTO GORIVO
SOLID FUEL STOVES

PG 1

DIMENZIJE PEČI (mm)
STOVE DIMENSIONS (mm) 850x400x490

SNAGA (kW)
POWER (kW) 6

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 60 / 62

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 65


ODVOD DIMA
FUME OUTLET ZADNJI
BACK

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 150x110

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



PEČI
NA ČVRSTO GORIVO
SOLID FUEL STOVES

HERA

DIMENZIJE PEČI (mm)
STOVE DIMENSIONS (mm) 850x400x560

SNAGA (kW)
POWER (kW) 7

STEPEN ISKORIŠĆENJA - drvo
EFFICIENCY - wood 89

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 80


ODVOD DIMA
FUME OUTLET CENTRALNI
UP

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 195x190

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



PEČI
NA ČVRSTO GORIVO
SOLID FUEL STOVES

VESTA

DIMENZIJE PEČI (mm) 890x455x440
STOVE DIMENSIONS (mm)

SNAGA (kW) 9
POWER (kW)

STEPEN ISKORIŠČENJA - drvo / ugalj (%) 85 / 86
EFFICIENCY - wood / coal - brown coal (%)

MASA PROIZVODA (kg) 89
PRODUCT WEIGHT (kg)

ODVOD DIMA CENTRALNI
FUME OUTLET UP

PREČNIK ODVODA DIMA (mm) Ø 120
FUME OUTLET DIAMETER (mm)

DIMENZIJE OTVORA ZA LOŽENJE (mm) 243x271
FURNANCE DOOR DIMENSIONS (mm)

GORIVO DRVO I UGALJ
FUEL WOOD AND COAL (brown coal)

BOJE
COLORS



PEČI
NA ČVRSTO GORIVO
SOLID FUEL STOVES

OLYMPIA

DIMENZIJE PEČI (mm)
STOVE DIMENSIONS (mm) 1120x480x595

DIMENZIJE RERNE (mm)
OVEN DIMENSIONS (mm) 280x270x425

SNAGA (kW)
POWER (kW) 9,5

STEPEN ISKORIŠČENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 80 / 83

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 154 / 181*

ODVOD DIMA
FUME OUTLET ZADNJI
BACK

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 225x270

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



* sa kamenim stranama / **with stone sides**



PEĆI
NA ČVRSTO GORIVO
SOLID FUEL STOVES

OLYMP

DIMENZIJE PEĆI (mm)
STOVE DIMENSIONS (mm) 850x480x595

SNAGA (kW)
POWER (kW) 8,5

STEPEN ISKORIŠĆENJA - drvo / ugalj (%)
EFFICIENCY - wood / coal - brown coal (%) 78 / 80

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 100 / 151*

ODVOD DIMA
FUME OUTLET ZADNJI
BACK

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 120

DIMENZIJE OTVORA ZA LOŽENJE (mm)
FURNANCE DOOR DIMENSIONS (mm) 225x270

GORIVO
FUEL DRVO I UGALJ
WOOD AND COAL (brown coal)

BOJE
COLORS



* sa kamenim stranama / with stone sides



PEĆ NA PELET
PELLET STOVES

MBS PELLET

DIMENZIJE PEČI (mm)
STOVE DIMENSIONS (mm) 980x560x490

SNAGA (kW)
POWER (kW) 8,5

UKUPNA SNAGA ELEKTRIČNOG DELA (kW)
TOTAL POWER OF ELECTRIC PART (kW) 0,5

STEPEN ISKORIŠĆENJA (%)
EFFICIENCY (%) 88

MASA PROIZVODA (kg)
PRODUCT WEIGHT (kg) 110

ODVOD DIMA
FUME OUTLET ZADNJI
BACK

PREČNIK ODVODA DIMA (mm)
FUME OUTLET DIAMETER (mm) Ø 80


GORIVO
FUEL PELET
PELLET

BOJE
COLORS 



ŠTEDNJAČI ZA
ETAŽNO GREJANJE
CENTRAL HEATING
COOKERS

THERMO ROYAL 720

Dimenzije štednjaka (VxŠxD) / Product dimensions (HxWxD)	850x720x600mm
Dimenzije ložišta (VxŠxD) / Stockhole dimensions (HxWxD)	467x272x352mm
Dimenzije rerne (VxŠxD) / Oven dimensions (HxWxD)	470x270x350mm
Nazivna toplotna snaga / Nominal thermal power	14 kW
Stepen iskorišćenja (drvo / ugalj) / Level of efficiency (wood / brown coal)	86 / 86%
Toplotna snaga predana vodi / Thermal power to the water	6 kW
Toplotna snaga predana okolini / Thermal power given to room	8 kW
Količina vode u kotlu / Quantity of water in the boiler	4l
Masa proizvoda / Product weight	114,2 kg
Odvod dima / Fume outlet	desni / levi / zadnji / centralni / right / left / back / up
Prečnik odvoda dima / Fume outlet diameter	120mm
Priključci za vodu / Connections for water	1"
Preporučeno gorivo / Recommended fuel	drvo, ugalj / wood, coal (brown coal)
Maksimalni radni pritisak / Maximum operating pressure	2 bar
Boje / Colors	



ŠTEDNJAČI ZA
ETAŽNO GREJANJE
CENTRAL HEATING
COOKERS

THERMO MAGNUM

Dimenzije štednjaka (VxŠxD) / Product dimensions (HxWxD)	850x950x600mm
Dimenzije ložišta (VxŠxD) / Stockhole dimensions (HxWxD)	280x230x370mm
Dimenzije rerne (VxŠxD) / Oven dimensions (HxWxD)	265x350x465mm
Nazivna toplotna snaga / Nominal thermal power	17 kW
Stepen iskorišćenja (drvo / ugalj) / Level of efficiency (wood / brown coal)	89 / 85%
Toplotna snaga predana vodi / Thermal power to the water	10 kW
Toplotna snaga predana okolini / Thermal power given to room	7 kW
Količina vode u kotlu / Quantity of water in the boiler	11l
Masa proizvoda / Product weight	172 / 206 kg*
Odvod dima / Fume outlet	desni / levi / zadnji / centralni / right / left / back / up
Prečnik odvoda dima / Fume outlet diameter	120 / 130mm
Priključci za vodu / Connections for water	1"
Preporučeno gorivo / Recommended fuel	drvo, ugalj / wood, coal (brown coal)
Maksimalni radni pritisak / Maximum operating pressure	2 bar
Boje / Colors	




* sa kamenim stranama / **with stone sides**



PEČI ZA
ETAŽNO GREJANJE
CENTRAL HEATING
STOVES


THERMO VESTA

Dimenzije peći (VxŠxD) / Product dimensions (HxWxD)	890x455x440mm
Dimenzije ložišta (VxŠxD) / Stockhole dimensions (HxWxD)	420x213x334mm
Nazivna toplotna snaga / Nominal thermal power	16 kW
Stepen iskorišćenja (drvo / ugalj) / Level of efficiency (wood / brown coal)	83 / 82%
Toplotna snaga predana vodi / Thermal power to the water	9 kW
Toplotna snaga predana okolini / Thermal power given to room	7 kW
Količina vode u kotlu / Quantity of water in the boiler	4l
Masa proizvoda / Product weight	91,5 kg
Odvod dima / Fume outlet	centralni / up
Prečnik odvoda dima / Fume outlet diameter	120mm
Priključci za vodu / Connections for water	1(")
Preporučeno gorivo / Recommended fuel	drvo, ugalj / wood, coal (brown coal)
Maksimalni radni pritisak / Maximum operating pressure	2 bar
Boje / Colors	



PEČI ZA
ETAŽNO GREJANJE
CENTRAL HEATING
STOVES


THERMO IN

Dimenzije peči (VxŠxD) / Product dimensions (HxWxD)	1000x590x540mm
Dimenzije ložišta (VxŠxD) / Stockhole dimensions (HxWxD)	320x408x390mm
Nazivna toplotna snaga / Nominal thermal power	19 kW
Stepen iskorišćenja (drvo / ugalj) / Level of efficiency (wood / brown coal)	88 / 87%
Toplotna snaga predana vodi / Thermal power to the water	11 kW
Toplotna snaga predana okolini / Thermal power given to room	8 kW
Količina vode u kotlu / Quantity of water in the boiler	23l
Masa proizvoda / Product weight	162,8 kg
Odvod dima / Fume outlet	centralni / up
Prečnik odvoda dima / Fume outlet diameter	120mm
Priključci za vodu / Connections for water	1(")
Preporučeno gorivo / Recommended fuel	drvo, ugalj / wood, coal (brown coal)
Maksimalni radni pritisak / Maximum operating pressure	2 bar
Boje / Colors	



PEĆI ZA
ETAŽNO GREJANJE
CENTRAL HEATING
STOVES

THERMO VULKAN

Dimenzije peći (VxŠxD) / Product dimensions (HxWxD)	780x650x545mm
Dimenzije ložišta (VxŠxD) / Stockhole dimensions (HxWxD)	310x400x400mm
Nazivna toplotna snaga / Nominal thermal power	19,7 kW
Stepen iskorišćenja (drvo / ugalj) / Level of efficiency (wood / brown coal)	86 / 85%
Toplotna snaga predata vodi / Thermal power to the water	14 kW
Toplotna snaga predata okolini / Thermal power given to room	5,7 kW
Količina vode u kotlu / Quantity of water in the boiler	24l
Masa proizvoda / Product weight	156 kg
Odvod dima / Fume outlet	centralni / up
Prečnik odvoda dima / Fume outlet diameter	120mm
Priključci za vodu / Connections for water	1(")
Preporučeno gorivo / Recommended fuel	drvo, ugalj / wood, coal (brown coal)
Maksimalni radni pritisak / Maximum operating pressure	2 bar
Boje / Colors	



ARTUR MARTIN

E50/E501

ELEKTRO ŠTEDNJACI
ELECTRIC COOKERS

TIP / TYPE	E50	E501
Dimenzije (VxSxD) / Dimensions (HxWxD)	850x500x600mm	
Ukupna instalisana snaga / Total installed power	9,85kW	9,85kW
Nazivna snaga / Nominal power	7,85kW	8,45kW
MESTA ZA KUVANJE / COOKING PLACES		
○○ Ringla - standardna / Cooking plate - standard	Ø180mm/1,5kW	
●○○ Ringla - standardna / Cooking plate - standard	Ø145mm/1,0kW	
○○● Ringla - brzogrejuća / Cooking plate - Fast heating	Ø145mm/1,5kW	
○○● Ringla - standardna / Cooking plate - standard	Ø180mm/1,5kW	
PEĆNIČA / OVEN		
Dim. pećnice (VxŠxD) / Oven dimensions (HxWxD)	300x430x465mm	
Gornji grejač / Upper heater	0,95kW	
Donji grejač / Bottom heater	1,4kW	
Infra grejač / Infra heater	2,0kW	
Ventilator / Fan	/	•
Emajlirana tava / Enamelled frying pan	•	
Aluminijumska tava / Aluminum pan	/	x 2
Resetka / Grid	•	
Boje / Colors	○ ●	



ARTUR MARTIN

E60/E601

ELEKTRO ŠTEDNJACI
ELECTRIC COOKERS

TIP / TYPE	E60	E601
Dimenzije (VxSxD) / Dimensions (HxWxD)	850x600x600mm	
Ukupna instalisana snaga / Total installed power	10,35kW	10,35kW
Nazivna snaga / Nominal power	8,35kW	8,96kW
MESTA ZA KUVANJE / COOKING PLACES		
○○ Ringla - standardna / Cooking plate - standard	Ø180mm/1,5kW	
●○○ Ringla - standardna / Cooking plate - standard	Ø145mm/1,0kW	
○○● Ringla - brzogrejuća / Cooking plate - Fast heating	Ø145mm/1,5kW	
○○● Ringla - standardna / Cooking plate - standard	Ø220mm/2,0kW	
PEĆNIČA / OVEN		
Dim. pećnice (VxŠxD) / Oven dimensions (HxWxD)	300x430x465mm	
Gornji grejač / Upper heater	0,95kW	
Donji grejač / Bottom heater	1,4kW	
Infra grejač / Infra heater	2,0kW	
Ventilator / Fan	/	•
Emajlirana tava / Enamelled frying pan	•	
Aluminijumska tava / Aluminum pan	/	x 2
Resetka / Grid	•	
Boje / Colors	○ ●	



STONI ELEKTRIČNI
ŠTEDNJACI
MINI ELECTRIC
COOKERS


MINI

TIP / TYPE	MINI
Dimenzije (VxSxD) / Dimensions (HxWxD)	315x570x350mm
Masa štednjaka / Product weight	20.7kg
Ukupna instalisana snaga / Total installed power	3,6kW
MESTA ZA KUVANJE / COOKING PLACES	
●○ Ringla - standardna / Cooking plate - standard	Ø145mm/1,0kW
○● Ringla - standardna / Cooking plate - standard	Ø180mm/1,5kW
PEĆNIČA / OVEN	
Dim. pećnice (VxŠxD) / Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Mak. temperatura pećnice / Max. Oven temperature	250°C
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Emajlirana tava / Enamelled frying pan	•
Resetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	
Pećnica i obe ringle mogu da rade istovremeno Oven and both burners can work at the same time	
Boje / Colors	○ ● ●



STONI ELEKTRIČNI
ŠTEDNJACI
MINI ELECTRIC
COOKERS

MINI LUX

TIP / TYPE	MINI LUX
Dimenzije (VxSxD) / Dimensions (HxWxD)	315x570x350mm
Masa štednjaka / Product weight	20.7kg
Ukupna instalisana snaga / Total installed power	4kW
MESTA ZA KUVANJE / COOKING PLACES	
○ Ringla - standardna / Cooking plate - standard	Ø140mm/1,2kW
● Ringla - standardna / Cooking plate - standard	Ø180mm/1,7kW
PEĆNIČA / OVEN	
Dim. pećnice (VxŠxD) / Oven dimensions (HxWxD)	205x367x325mm
Zapremina pećnice / Oven volume	24l
Mak. temperatura pećnice / Max. Oven temperature	250°C
Gornji grejač / Upper heater	550W
Donji grejač / Bottom heater	550W
Emajlirana tava / Enamelled frying pan	•
Resetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	
Pećnica i obe ringle mogu da rade istovremeno Oven and both burners can work at the same time	
Boje / Colors	



KOMBINOVANI
ŠTEDNJACI
DUAL FUEL
COOKERS

ARTUR MARTIN K50

TIP / TYPE	K50
Dimenzije (VxSxD) / Dimensions (HxWxD)	850x500x600mm
Ukupna instalisana snaga - elektro deo Total installed power - electrical part	6,85kW
Nazivna snaga - elektro deo / gasni deo Nominal power - electrical part / gas part	4,85kW / 4,0kW
MESTA ZA KUVANJE / COOKING PLACES	
○○ Ringla - standardna / Cooking plate - standard	Ø145mm/1,0kW
●○ Ringla - standardna / Cooking plate - standard	Ø180mm/1,5kW
○○● Pomoćni gorionik / Auxiliary burner (small)	1,0kW
○○● Jaki gorionik / Strong burner (large)	3,0kW
PEĆNIČA / OVEN	
Dim. pećnice (VxŠxD) / Oven dimensions (HxWxD)	300x430x465mm
Gornji grejač / Upper heater	0,95kW
Donji grejač / Bottom heater	1,4kW
Infra grejač / Infra heater	2,0kW
Ventilator / Fan	/ •
Emajlirana tava / Enamelled frying pan	•
Aluminijumska tava / Aluminum pan	/ x 2
Resetka / Grid	•
Boje / Colors	○ ●



ELEKTRIČNE GREJALICE
ELECTRIC HEATERS

QUICK 800

TIP / TYPE	800
Dimezije - VxŠxD / Dimensions - HxWxD	275x575x110mm
Snaga / Power	800W
Površina zagrevanja / Heating capacity	7-10m ²
Težina proizvoda / Product weight	4.15kg

Boje / Colors



SERTIFIKATI CERTIFICATES

EN ISO 9001:2000



EN ISO 14001:2004



Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUS ISO 9001, a 2003. dobijen je sertifikat od strane TÜV CERT za intergrisani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama (2004. godine, 2005. godine i 2006. godine) i resertifikacionom proverom 2007. godine, nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbeđenje propisanih uslova zaštite životne sredine.

MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUS ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.

From that period until now we had quality management system and environmental management system auditing (in the year 2004, 2005 and 2006) and recertification in the year 2007. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.

.....

Zahvaljujemo se firmama koje su nam ustupile svoj prostor radi fotografisanja proizvoda:

MBS 3, MBS 7, MBS 9, PG 1, 857, ROYAL 720, ROYAL 900, THERMO ROYAL

- restoran "Brvnara", Goranska 161, Smederevo - www.restoranbrvnara.com

MAGNUM

- restoran "Perper Grand", Trg Republike 1-3, Smederevo - www.perper.biz

HERA, VESTA

- salon nameštaja "Stefani Mobili", Smederevo - www.stefani.co.yu

- klub "Kandinsky", Kralja Petra 1 br.5, Smederevo - www.klub-kandinsky.co.yu

We would like to thank all the companies which have provide us to use their facilities for photographing our products:

MBS 3, MBS 7, MBS 9, PG 1, 857, ROYAL 720, ROYAL 900, THERMO ROYAL

- restaurant "Brvnara", Goranska 161, Smederevo - www.restoranbrvnara.com

MAGNUM

- restaurant "Perper Grand", Trg Republike 1-3, Smederevo - www.perper.biz

HERA, VESTA

- "Stefani Mobili" Smederevo - www.stefani.co.yu

- klub "Kandinsky", Kralja Petra 1 br.5, Smederevo - www.klub-kandinsky.co.yu



AD

Milan Blagojević
Smederevo

Đure Strugara 20
11300 Smederevo
Srbija

Tel: (+381) 26 633 600
(+381) 26 633 601

Fax: (+381) 26 226 926

office@mbs.rs

www.mbs.rs

