












BEF HOME
fire for your heart


BEF FLAT 6

	3 - 6 kW
	84 %
	ø 150 mm
	40 cm
	116 kg





BEF FLAT 7

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	124 kg









BEF FLAT 8

	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	137 kg




BEF FLAT V 6

	3 - 6 kW
	84 %
	ø 150 mm
	40 cm
	159 kg




BEF FLAT V 7




	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	179 kg

BEF FLAT V 8




	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	198 kg

BEF FLAT 6 CP/CL








	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	104 kg


BEF FLAT 7 CP/CL








	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	115 kg


BEF FLAT 8 CP/CL

	5 - 8 kW
	85 %
	ø 180 mm
	40 cm
	121 kg







BEF FLAT 9 CP/CL

	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	123 kg








BEF FLAT V 6 CP/CL

	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	104 kg



BEF FLAT V 7 CP/CL

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	178 kg



BEF FLAT V 8 CP/CL




	5 - 8 kW
	85 %
	ø 180 mm
	40 cm
	186 kg

BEF FLAT V 9 CP/CL




	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	188 kg

BEF FLAT 4 L








	5 - 8 kW
	82 %
	ø 180 mm
	50 cm
	264 kg


BEF FLAT 6 L








	3 - 6 kW
	84 %
	ø 180 mm
	40 cm
	233 kg


BEF FLAT 8 L

	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	249 kg








BEF FLAT V 4 L

	5 - 8 kW
	82 %
	ø 180 mm
	50 cm
	353 kg









BEF FLAT V 6 L

	3 - 6 kW
	84 %
	ø 180 mm
	40 cm
	308 kg









BEF FLAT V 8 L

	5 - 8 kW
	85 %
	ø 180 mm
	50 cm
	350 kg









BEF FLAT 6 C

	3 - 6 kW
	84 %
	ø 180 mm
	33 cm
	105 kg









BEF PASSIVE 6

	3 - 6 kW
	86 %
	Ø 150 mm
	33 cm
	116 kg









BEF PASSIVE 7

	4 - 7 kW
	84 %
	Ø 150 mm
	40 cm
	132 kg









BEF PASSIVE 8

	5 - 8 kW
	84 %
	Ø 180 mm
	50 cm
	146 kg




BEF PASSIVE 6 CP/CL


	3 - 6 kW
	86 %
	Ø 150 mm
	33 cm
	112 kg








BEF PASSIVE 7 CP/CL




BEF PASSIVE 8 CP/CL









BEF TREND 6

	4 - 7 kW
	82 %
	ø 150 mm
	33 cm
	130 kg




BEF TREND 8

	7 - 10 kW
	84 %
	ø 200 mm
	50 cm
	152 kg









BEF TREND V 6

	4 - 7 kW
	82 %
	ø 150 mm
	33 cm
	182 kg




BEF TREND V 8


	7 - 10 kW
	84 %
	ø 200 mm
	50 cm
	215 kg




BEF TREND V 10




BEF TREND V 12








BEF TREND V 14




BEF TREND 6 CP/CL









BEF TREND 8 CP/CL

	7 - 10 kW
	84 %
	ø 200 mm
	40 cm
	134 kg









BEF TREND V 6 CP/CL

	4 - 7 kW
	82 %
	ø 150 mm
	33 cm
	175 kg









BEF TREND V 8 CP/CL

	7 - 10 kW
	84 %
	ø 200 mm
	40 cm
	197 kg




BEF TREND V 10 CP/CL


	11 - 14 kW
	84 %
	ø 200 mm
	66 cm
	244 kg




BEF TREND V 6 C




BEF TREND V 8 C






BEF TREND V 10 C



BEF TREND V 6 U






BEF TREND V 8 U

	7 - 10 kW
	84 %
	ø 200 mm
	50 cm
	365 kg








BEF TREND V 10 U


	11 - 14 kW
	84 %
	ø 200 mm
	66 cm
	418 kg










TREND 7

	6 - 11 kW
	80 %
	ø 180 mm
	40 cm
	116 kg








TREND V 7


	6 - 11 kW
	80 %
	ø 180 mm
	40 cm
	168 kg











BEF FLAT 6 TWIN

	3 - 6 kW
	84 %
	∅ 150 mm
	33 cm
	109 kg








BEF FLAT 7 TWIN

	4 - 7 kW
	82 %
	∅ 150 mm
	40 cm
	119 kg









BEF FLAT V 6 TWIN

	3 - 6 kW
	84 %
	∅ 150 mm
	33 cm
	157 kg




BEF FLAT V 7 TWIN

	4 - 7 kW
	82 %
	∅ 150 mm
	40 cm
	177 kg




BEF FLAT 6 N TWIN



	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	113 kg




BEF FLAT 7 N TWIN



	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	124 kg




BEF FLAT V 6 N TWIN



	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	164 kg







BEF FLAT V 7 N TWIN



	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	180 kg







BEF FLAT V V 6 TWIN

	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	209 kg








BEF FLAT V V 7 TWIN


	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	231 kg











BEF TWIN 8

	5 - 11 kW
	80 %
	ø 200 mm
	50 cm
	192 kg








BEF TWIN 10

	8 - 14,5 kW
	83 %
	ø 200 mm
	66 cm
	225 kg









BEF TWIN V 8

	5 - 11 kW
	80 %
	ø 200 mm
	50 cm
	244 kg




BEF TWIN V 10


	8 - 14,5 kW
	83 %
	ø 200 mm
	66 cm
	294 kg




BEF TWIN 8 N




BEF TWIN 10 N



BEF TWIN V 8 N




BEF TWIN V 10 N








BEF TWIN V V 8

	5 - 11 kW
	80 %
	ø 200 mm
	50 cm
	299 kg




BEF TWIN V V 10

	8 - 14,5 kW
	83 %
	ø 200 mm
	66 cm
	353 kg









BEF TWIN 7 CP/CL

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	147 kg








BEF TWIN 7 CP-CP/CL-CL

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	137 kg








BEF TWIN V 7 CP/CL



	4 - 7 kW
	82 %
	Ø 150 mm
	40 cm
	193 kg









BEF TOWER 5 H

	5 - 8 kW
	82 %
	ø 150 mm
	25 cm
	193 kg









BEF TOWER 5 EH

	5 - 8 kW
	82 %
	ø 150 mm
	25 cm
	184 kg




BEF TOWER 3 L

	5 - 8 kW
	82 %
	ø 180 mm
	40 cm
	232 kg










BEF TOWER 3 P

	5 - 8 kW
	82 %
	ø 180 mm
	40 cm
	197 kg








BEF TOWER V 3 L




	5 - 8 kW
	82 %
	ø 180 mm
	40 cm
	237 kg








INTER 8

	6 - 13 kW
	80 %
	ø 180 mm
	50 cm
	171 kg








INTER 8 CP/CL

	6 - 13 kW
	80 %
	ø 180 mm
	50 cm
	201 kg









INTER V 8 CP/CL

	6 - 13 kW
	80 %
	ø 180 mm
	50 cm
	219 kg





INTER V 9 CP/CL


	8 - 14,5 kW
	84 %
	ø 200 mm
	66 cm
	261 kg










OPTIM 7

	5 - 8,5 kW
	79 %
	ø 200 mm
	40 cm
	130 kg







OPTIM 8

	6 - 10 kW
	78 %
	ø 200 mm
	50 cm
	161 kg








OPTIM V 7

	5 - 8,5 kW
	79 %
	ø 200 mm
	40 cm
	181 kg








OPTIM V 8

	6 - 10 kW
	78 %
	ø 200 mm
	50 cm
	211 kg










BEF EFFI 6

	3 - 6 kW
	84 %
	ø 150 mm
	40 cm
	108 kg




BEF EFFI 7

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	123 kg








BEF EFFI 8

	5 - 8 kW
	85 %
	ø 150 mm
	50 cm
	140 kg








BEF EFFI 6 S

	3 - 6 kW
	84 %
	ø 150 mm
	40 cm
	95 kg








BEF EFFI 7 S



	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	114 kg


BEF EFFI 8 S



	5 - 8 kW
	85 %
	ø 150 mm
	50 cm
	130 kg






BEF EFFI 6 CP/CL








	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	98 kg

BEF EFFI 7 CP/CL








	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	109 kg

BEF EFFI 8 CP/CL

	5 - 8 kW
	85 %
	ø 150 mm
	40 cm
	125 kg







BEF EFFI 6 S CP/CL

	3 - 6 kW
	84 %
	ø 150 mm
	33 cm
	77 kg








BEF EFFI 7 S CP/CL

	4 - 7 kW
	82 %
	ø 150 mm
	40 cm
	89 kg









BEF EFFI 8 S CP/CL


	5 - 8 kW
	85 %
	ø 150 mm
	40 cm
	101 kg












BEF AQUATIC WH 60

	7 - 11 kW
	4 - 8 kW
	86 %
	∅ 150 mm
	33 cm
	226 kg










BEF AQUATIC WH 65

	9 - 14 kW
	4 - 10 kW
	88 %
	∅ 150 mm
	33 cm
	226 kg










BEF AQUATIC WH 80

	9 - 18 kW
	7 - 12 kW
	84 %
	∅ 180 mm
	40 cm
	272 kg




BEF AQUATIC WH 85

	18 - 26 kW
	13 - 18 kW
	80 %
	∅ 180 mm
	40 cm
	272 kg




BEF AQUATIC WH 60 V



	7 - 11 kW
	4 - 8 kW
	86 %
	∅ 150 mm
	33 cm
	286 kg

BEF AQUATIC WH 65 V




	9 - 14 kW
	4 - 10 kW
	88 %
	∅ 150 mm
	33 cm
	286 kg

BEF AQUATIC WH 80 V









	9 - 18 kW
	7 - 12 kW
	84 %
	∅ 180 mm
	40 cm
	337 kg


BEF AQUATIC WH 85 V









	18 - 26 kW
	13 - 18 kW
	80 %
	∅ 180 mm
	40 cm
	337 kg


BEF AQUATIC WH 60 CP/CL

	7 - 11 kW
	4 - 8 kW
	86 %
	∅ 150 mm
	33 cm
	161 kg










BEF AQUATIC WH 65 CP/CL

	9 - 14 kW
	4 - 10 kW
	88 %
	∅ 150 mm
	33 cm
	161 kg










BEF AQUATIC WH 80 CP/CL

	9 - 18 kW
	7 - 12 kW
	84 %
	∅ 180 mm
	40 cm
	222 kg




BEF AQUATIC WH 85 CP/CL


	18 - 26 kW
	13 - 18 kW
	80 %
	∅ 180 mm
	40 cm
	222 kg




BEF AQUATIC WH 60 V CP/CL




BEF AQUATIC WH 65 V CP/CL



BEF AQUATIC WH 80 V CP/CL









BEF AQUATIC WH 85 V CP/CL













AQUATIC WH 70

	7 - 14 kW
	4 - 10 kW
	87 %
	ø 180 mm
	40 cm
	193 kg










AQUATIC WH 75

	9 - 18 kW
	5 - 15 kW
	83 %
	ø 180 mm
	40 cm
	193 kg










AQUATIC WH 70 V

	7 - 14 kW
	4 - 10 kW
	87 %
	ø 180 mm
	40 cm
	247 kg










AQUATIC WH 75 V

	9 - 18 kW
	5 - 15 kW
	83 %
	ø 180 mm
	40 cm
	247 kg










AQUATIC WH 100 V



	10 - 20 kW
	9 - 14 kW
	86 %
	ø 200 mm
	50 cm
	343 kg







AQUATIC WH 105 V




	18 - 27 kW
	9 - 19 kW
	82 %
	ø 200 mm
	50 cm
	343 kg










BEF TWIN 8 AQUATIC

	10 - 16 kW
	5 - 9 kW
	84 %
	∅ 200 mm
	50 cm
	245 kg










BEF TWIN 10 AQUATIC

	16 - 24 kW
	8 - 13 kW
	85 %
	∅ 200 mm
	66 cm
	283 kg










BEF TWIN V 8 AQUATIC

	10 - 16 kW
	5 - 9 kW
	84 %
	∅ 200 mm
	50 cm
	302 kg




BEF TWIN V 10 AQUATIC


	16 - 24 kW
	8 - 13 kW
	85 %
	∅ 200 mm
	66 cm
	342 kg




BEF TWIN V V 8 AQUATIC




BEF TWIN V V 10 AQUATIC









BEF TWIN 8 N AQUATIC




BEF TWIN 10 N AQUATIC










BEF TWIN V 8 N AQUATIC

-  10 - 16 kW
-  5 - 9 kW
-  84 %
-  ø 200 mm
-  50 cm
-  314 kg








BEF TWIN V 10 N AQUATIC


-  16 - 24 kW
-  8 - 13 kW
-  85 %
-  ø 200 mm
-  66 cm
-  351 kg










BEF ARIES 3

	3 - 6 kW
	83 %
	Ø 150 mm
	20 cm
	155 kg






BEF ARIES 7

	3 - 6 kW
	83 %
	Ø 150 mm
	20 cm
	166 kg








BEF ARIES 3 E

	3 - 6 kW
	83 %
	Ø 150 mm
	20 cm
	133 kg









BEF ARIES 7 E

	3 - 6 kW
	83 %
	Ø 150 mm
	20 cm
	157 kg









BEF ARIES 3 ER



	3 - 6 kW
	83 %
	ø 150 mm
	20 cm
	143 kg




BEF ARIES 7 ER



	3 - 6 kW
	83 %
	ø 150 mm
	20 cm
	173 kg








BEF VIRGO 7

	5 - 8 kW
	82 %
	ø 150 mm
	25 cm
	236 kg



BEF VIRGO 7 E

	5 - 8 kW
	82 %
	ø 150 mm
	25 cm
	224 kg





These data are informative, the manufacturer reserves the right to change.

www.befhome.com

Kotvrdovice 277, 679 07 Kotvrdovice • tel.: +420 516 428 240 • e-mail: info@bef.cz • fax: +420 516 428 244

Turá Lúka, 907 03 Myjava • tel.: +421 346 216 790 • e-mail: info@bef.sk

Bąków ul. Główna 4a, 43-246 Strumień • tel.: +48 338 561 009 • e-mail: info@befpolska.com • fax: +48 338 571 325

1 Place de l'Homme de Fer, 67 000 Strasbourg • tél.: 00 33 (0)6 72 38 31 13 • e-mail: info@foyers-bef.fr



04121600