






## Moodulkorsten "Vulcano Plus", paksus 0,5mm., sisetoru materjal: AISI316L T600


Toru 1000mm (VP0001)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	79	79	84	84	90	102	107	111	127	135	152	160	189				
	AISI304 + VÄRV	91	91	97	97	104	118	123	127	146	155	175	184	217				


Toru 500mm (VP0002)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	48	48	51	51	54	62	65	67	76	81	91	96	113				
	AISI304 + VÄRV	55	55	58	58	62	71	74	76	88	93	105	111	130				

Toru 250mm (VP0003)	Välistoru mat.	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	24	24	26	26	27	31	32	33	38	40	45	48	57				
	AISI304 + VÄRV	28	28	29	29	31	36	37	38	44	47	53	56	65				

<b>T-liide 90° (VP0004)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400					
																				
		<b>AISI304</b>	88	88	98	98	107	118	133	139	146	167	171	183	223					
		<b>AISI304 + VÄRV</b>	101	101	113	113	123	135	153	160	167	192	197	211	256					

<b>T-liide 45° (VP0005)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400					
																				
		<b>AISI304</b>	97	97	108	108	118	130	147	153	160	184	188	202	245					
		<b>AISI304 + VÄRV</b>	111	111	124	124	136	149	169	176	184	211	217	232	282					

<b>T-liide kond.kollektoriga. (VP0006)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400					
																				
		<b>AISI304</b>	105	105	118	118	132	147	160	176	196	201	206	220	268					
		<b>AISI304 + VÄRV</b>	121	121	136	136	152	169	184	203	225	231	237	253	308					

<b>Puhastuskolmik (VP0007)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400					
																				
		<b>AISI304</b>	115	115	130	130	145	162	176	194	215	221	227	242	295					
		<b>AISI304 + VÄRV</b>	132	132	149	149	167	186	203	223	247	254	261	279	339					



Pölv 90° (VP009)	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	85	87	89	90	96	109	115	130	140	147	155	163	201				
AISI304 + VÄRV	98	100	102	103	111	125	132	149	161	169	178	187	231					




Pölv 45° (VP010)	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	66	67	69	69	70	82	89	95	110	114	120	126	155				
AISI304 + VÄRV	76	77	79	80	81	94	102	110	127	131	137	145	178					





Pölv 30° (VP011)	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	69	70	72	73	74	86	93	100	116	119	125	132	163				
AISI304 + VÄRV	80	81	83	84	85	99	107	115	133	137	144	152	187					





Koonus-lõpetus (VP0012)	Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	54	54	57	57	59	69	73	75	86	92	103	109	128				
AISI304+ värv	62	62	66	66	67	80	84	86	99	105	118	125	147					


<b>Pöördsiiber (VP0013)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	65	65	69	69	73	77	80	85	90	91	92	96	109					
	AISI304 + VÄRV	74	74	78	78	82	87	91	95	101	103	104	109	123					


<b>Liugsiiber (VP0014)</b>		Välistoru	80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
	AISI304	96	96	100	100	103	107	110	114	119	120	122	125	137					
	AISI304 + VÄRV	111	111	114	114	118	123	127	131	137	138	140	144	158					


<b>Isol. üleminek (VP0015)</b>		DN100/200-DN150/250	DN150/250-DN200/300	DN200/300-DN300/400	
	AISI304	79	92	108	
	AISI304 + VÄRV	91	106	124	


<b>Üleminek (VP0016)</b>		80 kuni 150	150 kuni 200	200 kuni 300
		30	36	48


<b>Otsakate (VP0017)</b>		80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
		24	24	25	25	26	27	28	30	31	34	36	39	40				


<b>Adapter (VP0018)</b>		80/180	100/200	115/220	120/220	130/230	150/250	160/260	180/280	200/300	220/320	230/330	250/350	300/400				
		31	32	32	33	35	37	39	41	43	47	49	53	55				


<b>Katusekatik (VP0019)</b>		180	200	220	220	230	250	260	280	300	320	330	350	400				
																		
AISI304		89	89	91	94	94	106	112	118	133	144	154	168	193				
AISI304 + VÄRV		106	107	109	113	113	127	135	142	159	173	184	202	231				


<b>Korstnamüts (VP0020)</b>		80	100	115	120	130	150	160	180	200	220	230	250	300	350	400
		27	27	28	28	30	33	35	40	45	53	53	58	77	81	103


<b>Korstnamüts sädemvörguga (VP0021)</b>		80	100	115	120	130	150	160	180	200	220	230	250	300	350	400
		35	38	42	42	53	50	52	59	62	76	78	89	102	116	150


Seina/laekatik (VP0022)		Dn 180- 300 600/600mm	Dn 310- 500 800/800mm
			
	AISI304	30	35
	AISI304 + +VÄRV	34	40


Seina/laekatik (VP0023)		Dn 180- 300 600/600mm	Dn 310- 500 800/800mm
			
	AISI304	35	42
	AISI304 + VÄRV	39	46


Kinnitusklamber (VP0024)		DN200-250	DN260-310	DN310-400
				
		10	12	20


Räästakinnitus (50mm)(VP0025)	180	200	220	225	230	250	260	280	300	320	330	350	400
	29	30	33	35	36	40	44	48	53	54	56	59	72


Seinakinnitus 300mm (VP0026)	180	200	220	225	230	250	260	280	300	320	330	350	400				
	30	32	33	34	35	39	41	43	46	51	53	56	59				


Vahelae/sarikakinnitus (VP0027)	180	200	220	225	230	250	260	280	300	320	330	350	400				
	33	34	35	35	36	41	42	44	46	58	60	63	68				


Kinnitushaarad (VP0036)	180-200	220-250	260-300	320-400
 1500mm.	64	81	84	105
2000mm.	70	84	93	116


Seinakinnitus (VP0029)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 Pikkus kuni 500mm	38	41	44	47	48	49	51	52	57	64	68	72	78				
Pikkus üle 500mm	47	50	53	58	59	64	66	68	72	77	79	86	94				


Konsool (VP0030)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 H<500mm	78	80	81	83	84	88	90	94	99	100	101	104	114				
H>500mm	95	98	100	104	105	110	113	118	124	126	128	132	148				

Kolmnurktugi (VP0031)	180	200	220	225	230	250	260	280	300	320	330	350	400				
 Pikkus kuni 500mm	89	92	93	96	98	101	105	108	113	116	119	122	132				
Pikkus üle 500mm	108	112	114	116	118	122	125	131	137	139	142	145	160				

Seinakinnitus reg. 50-150mm (VP0032)	180	200	220	230	250	260	280	300
	45	47	51	54	59	63	71	82

Seinakonsool (VP0033)	180	200	220	230	250	260	280	300
	114	116	118	124	130	136	142	149

Trossi kinnitus(VP0034)	180	200	220	230	250	260	280	300
	23	24	26	27	29	33	38	44

Korstnamüts lõpetusega(VP0035)	80-180	100-200	120-220	130-230	150-250	160-260	180-280	200-300
	70	70	72	76	79	82	82	83































